

US EXPRESS

L V T C O L L E C T I O N



Colors



QEP-43114



QEP-40704



QEP-40130



QEP-40443



QEP-40613



QEP-43111



QEP-40614



QEP-43102



QEP-40129



QEP-40444



QEP-43113



QEP-43707



QEP-40705



QEP-40706



QEP-40443



QEP-40615

Foundation of NOX Quality & Innovation



STRONG and **SAFE** LVT surface coating technology proven to safely eliminate 99.9% of bacteria with 2 times the resistance against scratches and stains

STRONG : 2 times the resistance against scratches and stains ECOPROTEC™ SURFACE COATING technology proven to safely remove 99.9% of bacteria

SAFE : US EPA-approved safe ANTI-BACTERIAL ECOPROTEC™ SURFACE COATING (without using Nano-silver)
*EPA : Environmental Protection Agency



The most **STABLE** and **ECO-FRIENDLY** LVT structure technology proven in world-first floating LVT since 2005

STABLE : Unparalleled dimensional stability and extra sound absorption with ECOTECTURE™ MULTI-LAYER property


ECO-FRIENDLY : Certified low-VOCs and Phthalate-free technology and ECOTECTURE™ BIO-BASED softener technology replacing conventional petroleum-based plasticizers

Size & Packing

Type	Size (mm)	Thickness(mm)		Pcs / BOX		sq. ft. / BOX	
		Residential	Commercial	Residential	Commercial	Residential	Commercial
Dryback	6"x48"	2 (6 & 8mil)	3 (20mil)	27	18	54	36
	180 x 1200			18	15	41.9	34.9
	9.25"x59.25"(235x1505mm)			12	10	45.6	38.1
	600 x 600			16	10	62	38.8
	18"x18"			24	16	54	36
	12"x24"			22	18	44	36
LLT	6"x48"	4 (12mil)	5 (20mil)	12	10	24	20
	180 x 1200			12	10	28	23.3
	9.25"x59.25"(235x1505mm)			8	6	30.5	22.8
	600 x 600			8	6	31	23.3
	18"x18"			12	10	27	22.5
	12"x24"			12	10	24	20
Click	185 x 1212	4 (12mil)	4&5 (20mil)	10 (4mm)	8 (5mm)	24.1 (4mm)	19.3 (5mm)
	9.25"x59.25"(235x1505mm)			8 (4mm)	6 (5mm)	30.5 (4mm)	22.8 (5mm)
	18"x36"			8 (4mm)	6 (5mm)	36 (4mm)	26.9 (5mm)
	305 x 610			12 (4mm)	10 (5mm)	24 (4mm)	20 (5mm)

* Click, LLT and EIR products to be produced in USA later on (Timing to be announced).





QEP-40129



Antique Oak | Taupe

QEP-40129



Antique Oak | Light Beige

QEP-40130



QEP-40444



Washy Oak | Cream

QEP-40442



Washy Oak | Warm Grey

QEP-40443



Washy Oak | Cedar

QEP-40444



QEP-40614



Canyon Wood | Gold

QEP-40613



Canyon Wood | Caramel

QEP-40614




Canyon Wood | Bistre

QEP-40615




QEP-40706



Reclaimed Wood | Cool Beige

QEP-40704



Reclaimed Wood | Pale Brown

QEP-40705



Reclaimed Wood | Warm Grey

QEP-40706



QEP-43111



Rustic Oak | Beige

QEP-43111



Rustic Oak | Ash Brown

QEP-43113



Rustic Oak | Cinnamon

QEP-43102



Rustic Oak | Ivory

QEP-43114



QEP-43707



Walnut | Sandy Brown

QEP-43707

NOX US | USA

NOX US
P.O. Box 824
931 S. Springville Avenue
Fostoria, OH 44830

Office : (419) 701-5060
Fax : (419) 701-5058

NOX Corp. | KOREA

Shinho Factory
Shinho 2nd Factory, Yedang
Enbo Factory
Godeok Factory
Bongsan Factory
Deoksan Factory
Choongnam, Korea

Design Center & Office

KD Center, 355, Hyoryeong-ro,
Seocho-gu, Seoul, 06643 Korea

Tel +82-2-520-7600
Fax +82-2-598-9674

www.nox-us.com

E-Mail | info@noxglobal.com



Global Flooring Leader since 1994